To: The Water Authority Tel. 2824 5000 Fax. 2802 7333

43/F, Immigration Tower, 7 Gloucester Road, Hong Kong Email: wsdinfo@wsd.gov.hk

APPLICATION FOR CERTIFICATE REGARDING WATER SUPPLY AVAILABILITY/CONNECTION*

Required under Reg. 25A of the

Building (Administration) Regulations (Cap. 123A)

Lot No.: Address:		Date:			
Please supply the following co	ertificate:				
*I - Availability of Water Su			1. 2.	Potable Water Flushing Water	
(a) Anticipated Comp	letion Date				
(b) Proposed develop	ment:	Esti	mated daily der	mand	litres
Residential:	No. of flats		Anticipated Po	opulation	
Commercial:	No. of units		Nature		
Industrial	No. of units		Nature		
	is a Section 16 a on water supply issue on water supply issue	with e from the Town P	under the Tow Planning Board Planning Board	ver Planning Ordin , or as shown in the atta	iched
*II - Connection of Water S	apply:		1. 2.	Potable Water Flushing Water	
Please quote ASN:					
I serve this notice on the months advance notice no connection: I confirm that the pipes with the relevant provisions in	rmally required) a	nd undertake to	make the insi	ide service ready	for
I fully understand an connection with this application and any matt provide sufficient data, the V collected may be transferred the aforesaid purposes. I fur development) may be made understand that I may make a Immigration Tower, 7 Glouce	ation for the purjers related to any Vater Authority may to other Governmenther agree that the known to the geral request to the Department of the purject o	poses of, or dir y certificate issy y not be able to p ent bureaux and d data (including heral public (eg. artmental Secretar	ectly related sued under the rocess my app epartments and my name and by publishing y of the Water	to, the processing application. I agree to any other relevant the details of the the same on the Supplies Departm	ng of this If I do not that the data t parties for the proposed internet). I ent at 48/F
	Authorized Person's	s Signature :			
	Name (in Block Let	ters):			
	HKID No. :				
	Company Name :				
	Preferred contact me	•			
Tick as appropriate * Delete as appropriate	1el No. :				