

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 13-0013	DRF	AFT-L10-1B	1	8.3	3.48	6.35	8.4	10.03	12.03
SB 13-0012	DRF	AFT-L10-1A	1	8.3	3.48	6.35	8.4	10.03	12.03
SB 13-0011	DRF	AFT-L10-2B	1	8.3	3.48	6.35	8.4	10.03	12.03
SB 13-0010	DRF	AFT-L10-2A	1	8.3	3.48	6.35	8.4	10.03	12.03
SB 13-0009	DRF	AFT-L26-3B	1	5.2	1.75	3.98	5.31	6.38	7.85
SB 13-0008	DRF	AFT-L26-3A	1	5.2	1.75	3.98	5.31	6.38	7.85
SB 13-0007	DRF	AFT-L26-5B	1	5.2	1.75	3.98	5.31	6.38	7.85
SB 13-0006	DRF	AFT-L26-5A	1	5.2	1.75	3.98	5.31	6.38	7.85
SB 13-0005	DRF	AFT-L15-2	1	6.9	2.65	5.3	6.98	8.32	9.92
SB 13-0004	DRF	AFT-L15-1	1	6.9	2.65	5.3	6.98	8.32	9.92
SB 13-0003	Shing Shun	SS-13003	1	7.8	4.3	7.3	8.35	7.75	8.15
SB 13-0002	GROHE	27400000	1	8.4	5.8	8.2	8.5	8.6	8.6

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/minute)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 13-0001	GROHE	27478000	1	8.5	6.25	8.25	8.5	8.6	8.55
SB 12-0022	Bellini	BR-78+T2006	1	6.6	3.3	5.6	6.7	7.5	8.7
SB 12-0021	Water Academy	Bachelor	1	6.5	3.5	5.6	6.8	7.15	7.6
SB 12-0020	Tandrup	JT550	1	8.8	4.1	7.6	9	9.8	10.4
SB 12-0019	AQUAamate	SH0120832	1	6.8	3.95	6.1	7	7.3	7.1
SB 12-0018	ACQUA	HS1917	1	7.4	3.2	5.7	7.7	8.7	10
SB 12-0017	ACQUA	HS9917	1	5.3	2.5	4.1	5.4	6.5	7.9
SB 12-0016	ACQUA	HS1326	1	6.7	3	5.2	7.1	7.9	9.9
SB 12-0015	Bellini	BG-98-T2006	1	8.1	4.2	7.2	8.6	8.6	8.2
SB 12-0014	AQUAamate	SH0223732	1	6.5	3.4	5.5	6.7	7.4	7.65
SB 12-0013	AQUAamate	SH0323732	1	6.4	3.45	5.45	6.5	7.1	7.15
SB 12-0012	AQUAamate	SH0124432	1	6.6	3.8	5.75	6.75	7.15	7.25

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 12-0011	AQUAmate	SH0123532	1	5.6	2.7	4.6	5.7	6.55	7.5
SB 12-0010	KOSDO	KSAJ-400 (2.7mm jetcore)	1	7.0	3.05	5.45	7.13	8.45	9.15
SB 12-0009	KOSDO	KSAJ-300 (2.7mm jetcore)	1	7.0	3.05	5.45	7.13	8.45	9.15
SB 12-0008	KOSDO	KSAJ-200 (2.7mm jetcore)	1	7.0	3.05	5.45	7.13	8.45	9.15
SB 12-0007	KOSDO	KSAJ-400 (3.4mm jetcore)	1	11.3	4.9	8.93	11.5	13.55	14.7
SB 12-0006	KOSDO	KSAJ-300 (3.4mm jetcore)	1	11.3	4.9	8.93	11.5	13.55	14.7
SB 12-0005	KOSDO	KSAJ-200 (3.4mm jetcore)	1	11.3	4.9	8.93	11.5	13.55	14.7
SB 12-0004	GROHE	27575000	1	7.9	4.3	7.2	8.2	8.3	8.45
SB 12-0003	GROHE	27574000	1	8.1	4.3	7.2	8.25	8.8	9
SB 12-0002	GROHE	2757100E	1	4.5	3.35	4.15	4.45	4.75	4.9
SB 12-0001	Buschmann	BU2115	1	6.7	3.8	6.5	6.7	7	7.5
SB 11-0035	Tandrup	JT850	1	6.6	3.5	5.8	6.8	7.2	7.9

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 11-0034	TOTO	THX118SEMN	1	7.8	4	7.3	9.2	6.8	7.7
SB 11-0033	Shing Shun	SS-11002	1	7.2	3.3	5.75	7.35	8.6	10.5
SB 11-0032	AQUAmate	SH0221522	1	6.4	4.03	5.73	6.6	6.93	7.07
SB 11-0031	AQUAmate	SH0127652	1	6.3	4.1	5.7	6.4	6.8	6.83
SB 11-0030	AQUAmate	SH0128332	1	5.9	3.3	4.83	6	6.83	7.63
SB 11-0029	WINKLER	KW3002.PCW	1	6.9	3	5.35	7	8.4	10.6
SB 11-0028	THREE DROP	B38C	1	8.5	4.1	7.4	8.9	9.1	9.1
SB 11-0027	THREE DROP	B36C	1	6.8	3.45	5.8	6.9	7.8	8.3
SB 11-0026	THREE DROP	B7SC	1	8.3	4.05	6.9	8.4	9.6	9.65
SB 11-0025	THREE DROP	B37C	1	6.9	3.55	5.85	7	7.8	8.35
SB 11-0024	THREE DROP	B35C	1	6.8	3.25	5.5	6.9	7.85	8.45
SB 11-0023	THREE DROP	B33C	1	7.4	3.55	6.05	7.65	8.55	9.75

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 11-0022	THREE DROP	H13C	1	7.6	3.95	6.45	7.85	8.45	9.05
SB 11-0021	Ansporn	SH19S	1	7.4	4.1	6.57	7.57	7.93	7.9
SB 11-0020	Shing Shun	SS-11001	1	3.9	2.4	3.85	3.95	3.9	3.8
SB 11-0019	GROHE	27390 000	3	15.6	7.25	13	15.2	18.65	19.9
SB 11-0018	GROHE	27544 000	1	8.2	5.85	7.8	8.3	8.4	8.65
SB 11-0017	GROHE	27543 000	1	7.7	6.1	7.7	7.7	7.8	7.9
SB 11-0016	GROHE	27542 000	1	8.2	6.1	7.9	8.1	8.45	8.55
SB 11-0015	LABETA	LA-RS1500	1	4.3	2.1	3.45	4.45	5.1	6.1
SB 11-0014	LABETA	LA-H1490	1	6.0	3.8	5.8	6.4	5.8	4.7
SB 11-0013	LABETA	LA-5490	1	5.4	2.3	4	5.45	6.8	8.1
SB 11-0012	LABETA	LA-5159	1	5.3	2.5	4.3	5.4	6.2	7.2
SB 11-0011	LABETA	LA-5057	1	5.3	2.5	4.5	5.3	6	6.9

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 11-0010	LABETA	LA-3041	1	5.9	4	5.8	6.1	5.75	5.15
SB 11-0009	LABETA	LA-3494	1	5.5	2.3	4	5.6	7	8.1
SB 11-0008	LABETA	LA-3496	1	5.1	2.4	4	5.2	6.05	7.05
SB 11-0007	AQUALAND	SH0304731	1	7.4	4.1	6.57	7.57	7.93	7.9
SB 11-0006	AQUAmate	SH0304732	1	7.4	4.1	6.57	7.57	7.93	7.9
SB 11-0005	AQUAmate	SH0304731	1	7.4	4.1	6.57	7.57	7.93	7.9
SB 11-0004	CORONA	WEL03	1	6.4	4.45	6.3	6.4	6.55	6.95
SB 11-0003	LION CASTLE	WG-035	1	7.4	3.15	5.9	7.75	8.6	9.5
SB 11-0002	KUKEL	KUL59	1	6.7	3.05	5.3	6.8	8	9.4
SB 11-0001	GTB	GTB-L13-XX	1	8.5	4	6.8	8.6	10.2	11.5
SB 10-0118	GROHE	27253 000	3	13.7	5.9	10.6	14.6	16	16.8
SB 10-0117	GROHE	27251 000	3	13.0	5.45	9.8	13.9	15.4	17.2

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0116	GROHE	28578 000	3	13.4	5.75	10.3	14.1	15.7	16.8
SB 10-0115	RENÉ	F60101(II)	2	11.8	5.4	9.4	11.5	14.4	15.2
SB 10-0114	RENÉ	F30200(II)	2	11.0	5.35	9	11.2	12.9	14.7
SB 10-0113	RENÉ	F40103(II)	2	11.3	5.8	9.2	11.6	12.98	14.3
SB 10-0112	RENÉ	F70100(II)	2	11.5	5.4	9.3	11.5	13.55	14.7
SB 10-0111	RENÉ	F60103(II)	2	11.9	5.9	10	11.8	13.9	15.7
SB 10-0110	RENÉ	F60102(II)	2	11.1	4.95	8.75	11.2	13.2	14.7
SB 10-0109	LION CASTLE	WG-063	1	6.9	3.55	5.9	7.1	7.7	8.1
SB 10-0108	LION CASTLE	WG-054	1	5.9	3.05	5	6.1	6.65	6.7
SB 10-0107	waterpik	NVC-657	1	6.9	4.47	6.33	7.17	7.33	7.2
SB 10-0106	waterpik	NVL-651	1	6.4	4.2	5.77	6.57	6.93	6.77
SB 10-0105	waterpik	NMC-653	1	6.8	4.3	6.2	7.03	7.2	7.13

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0104	waterpik	NML-653	1	6.8	4.3	6.07	7.03	7.2	7.1
SB 10-0103	waterpik	NSC-653	1	6.8	4.43	6.07	7	7.2	7.17
SB 10-0102	waterpik	NSL-653	1	6.9	4.5	6.13	7.17	7.4	7.27
SB 10-0101	Water Academy	LuxSpa (Handheld)	1	5.5	2.5	4.3	5.45	6.6	7.95
SB 10-0100	kovic	KVGF01-0619	1	4.9	4.3	5.05	4.95	4.8	4
SB 10-0099	Crenides	SMA0066	1	6.7	2.83	5.58	6.98	7.4	8.07
SB 10-0098	Crenides	SMA0036	1	6.7	3.06	5.43	6.88	7.76	7.72
SB 10-0097	Crenides	SMA0042	1	5.8	2.73	4.83	5.93	6.63	6.92
SB 10-0096	Bathdilly	100090329	1	5.0	2.4	4	5.1	5.9	7
SB 10-0095	Bathdilly	100090327	1	4.6	2.3	3.6	4.8	5.5	6.6
SB 10-0094	Bathdilly	100090325	1	4.4	2.3	3.5	4.5	5.2	6.4
SB 10-0093	Delong	100090336	1	7.1	3.8	6	7.3	8	8.6

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0092	Delong	100090337	1	5.5	2.8	4.5	5.7	6.4	7.1
SB 10-0091	Delong	100090339	1	6.4	3.3	5.2	6.6	7.3	7.7
SB 10-0090	Delong	100090338	1	4.9	2.5	3.8	4.9	5.9	6.8
SB 10-0089	Delong	100090332	1	6.3	3.5	5.6	6.5	6.8	7.2
SB 10-0088	Delong	100090301	1	4.7	2.3	3.7	4.8	5.7	6.8
SB 10-0087	Bathdilly	100090328	1	7.1	3.3	5.6	7.2	8.5	10.2
SB 10-0086	Bathdilly	100090326	1	7.6	3.7	6	7.8	9.1	10.9
SB 10-0085	Delong	100090335	2	11.5	5.3	9.1	11.7	13.7	16.5
SB 10-0084	Delong	100090331	1	7.8	3.5	6.1	7.9	9.3	11.2
SB 10-0083	Delong	100090340	1	6.4	3.1	5	6.5	7.8	9.4
SB 10-0082	Delong	100090334	2	10.4	4.7	8.1	10.5	12.5	15.1
SB 10-0081	Delong	100090302	1	7.0	3.3	5.5	7.2	8.4	10

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0080	AQUAmate	SH0205632	1	7.2	4.33	6.43	7.4	7.77	7.9
SB 10-0079	AQUAmate	SH0212312	1	7.4	5.5	6.9	7.4	7.8	7.93
SB 10-0078	AQUAmate	SH0121032	1	7.0	4.13	6.47	7.2	7.43	7.4
SB 10-0077	AQUAmate	SH0122832	1	6.7	4.2	5.87	6.83	7.3	7.27
SB 10-0076	AQUAmate	SH0400632	1	6.8	4.13	6.13	7.07	7.3	7.4
SB 10-0075	AQUAmate	SH0200632	1	6.9	4.4	6.23	7.13	7.27	7.23
SB 10-0074	AQUAmate	SH0125612	1	7.2	5.27	6.7	7.3	7.5	7.5
SB 10-0073	AQUAmate	SH0307032	1	6.6	3.7	5.63	6.7	7.37	7.6
SB 10-0072	AQUAmate	SH0100812	1	7.1	5.1	6.8	7.23	7.37	7.47
SB 10-0071	RENÉ	F70100(I)	1	8.1	3.65	6.65	8.3	9.4	10.8
SB 10-0070	GROHE	27134 000	2	11.3	7.85	10.8	11.1	11.9	11.9
SB 10-0069	GROHE	28390 000	3	14.4	6.4	10.8	15.2	17.2	17.7

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/minute)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0068	GROHE	28393 000	3	15.4	6.85	12.8	15.4	17.9	19.6
SB 10-0067	GROHE	27236 000	3	12.5	5.45	9.4	13	15.2	16.3
SB 10-0066	GROHE	28514 000	3	14.5	6.25	10.8	15.2	17.4	18.45
SB 10-0065	GROHE	27234 000	3	13.0	5.75	9.7	13.5	15.7	16.8
SB 10-0064	GROHE	27222 000	3	13.9	6.3	10.8	14.6	16.3	16.8
SB 10-0063	GROHE	27221 000	3	14.1	6.3	10.8	14.6	16.8	17.4
SB 10-0062	GROHE	27220 000	3	14.1	6.3	10.8	14.6	16.8	14.7
SB 10-0061	GROHE	27265 000	3	14.1	6.8	10.8	14.6	16.8	17.9
SB 10-0060	GROHE	27295 000	1	8.6	5.45	8.3	8.8	8.7	8.7
SB 10-0059	GROHE	28233 000	1	8.4	6	8	8.5	8.55	8.7
SB 10-0058	GROHE	27246 000	1	8.0	4.95	7.5	8.25	8.35	8.4
SB 10-0057	GROHE	27181 001	1	7.8	5.4	7.2	7.95	8.25	8.35

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0056	GROHE	28419 000	1	7.4	5.5	6.75	7.45	7.9	8.4
SB 10-0055	kovic	KVGF01-0625	1	5.1	3.8	5.3	5.1	4.9	4.45
SB 10-0054	kovic	KVGF01-0613	1	6.0	3.05	5.1	6.25	6.7	7.1
SB 10-0053	GROHE	27128 000	2	11.9	7.8	11.3	11.9	12.4	13
SB 10-0052	GROHE	28756 000	3	15.8	6.9	13	15.7	18.65	19.9
SB 10-0051	GROHE	28794 000	3	15.4	6.9	13	15.4	17.9	19.7
SB 10-0050	GROHE	27066 000	3	14.5	6.25	10.8	15.2	17.4	18.65
SB 10-0049	GROHE	27067 000	3	13.0	5.4	9.8	13.5	15.7	16.8
SB 10-0048	GROHE	28261 000	3	14.8	6.8	11.9	15.2	17.4	19.4
SB 10-0047	PRESTO	29301	1	7.4	4.6	7.2	7.4	7.6	8.1
SB 10-0046	PRESTO	29205	1	8.1	5.2	8.1	8.2	8	8.2
SB 10-0045	PRESTO	29255	1	7.8	4.1	7.6	7.7	8	8.2

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0044	PRESTO	29300	1	7.8	4.4	8.2	7.5	7.7	8
SB 10-0043	PRESTO	29100	1	8.2	4.9	8	8.1	8.6	9.2
SB 10-0042	EXQ	EXQ260CH	1	9.0	4.6	6.9	9.3	10.8	12.3
SB 10-0041	Bellini	BL-JM-002-3	1	8.5	4.1	7.7	9.4	8.3	9
SB 10-0040	Moen	HK147170	1	6.3	3.1	5.4	6.5	6.9	6.9
SB 10-0039	Moen	HK144464	1	7.6	3.6	6.4	7.9	8.5	9
SB 10-0038	Moen	HK23334	1	6.3	5	6.3	6.3	6.4	6.4
SB 10-0037	RADA/Mira/RESPONSE	RADA	1	6.2	4.3	6.1	6.3	6.3	6.4
SB 10-0036	RADA/Mira/EV	RADA	1	5.7	4.1	5.4	5.7	6.1	6.4
SB 10-0035	RENÉ	F40103(I)	1	7.1	3.4	5.85	7.5	8	8.6
SB 10-0034	SHARK	6S	1	5.2	3.9	5	5.4	5.1	4.4
SB 10-0033	AQUAamate	SW0200732	1	6.6	3.53	5.93	6.76	7	7.06

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0032	AQUAmate	SW0108912	1	6.5	4.13	6.23	6.63	6.7	6.63
SB 10-0031	GROHE	27391 000-1	1	7.9	5.4	7.75	7.9	8	8
SB 10-0030	GROHE	27387 000-1	1	7.8	5.35	7.5	8	8	8
SB 10-0029	EXQ	EXQ246CH	2	10.5	5.6	8.4	10.6	12.4	14.6
SB 10-0028	RENÉ	F30200(I)	1	5.8	2.7	4.75	5.85	6.8	7.75
SB 10-0027	RENÉ	F60103(I)	1	6.6	3.1	5.35	6.75	7.55	8.45
SB 10-0026	RENÉ	F60102(I)	1	6.4	2.8	5.15	6.5	7.4	8.35
SB 10-0025	RENÉ	F60101(I)	1	6.6	3.2	5.4	6.8	7.45	8.05
SB 10-0024	PRESTO	90134	1	8.0	4.7	7.8	8	8.2	8.5
SB 10-0023	SPEAKMAN	S-2005-HOTEL-E2	1	6.7	4.1	6.4	6.7	7.1	7.7
SB 10-0022	SPEAKMAN	S-2251	2	9.8	5.7	8.8	10	10.5	11.3
SB 10-0021	SPEAKMAN	S-2253-E15	1	5.7	3.6	5.4	5.8	5.9	6.1

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0020	GROHE	28308 000	2	11.3	5.15	10	11.3	12.5	15
SB 10-0019	GROHE	28517 000	3	14.7	4.65	11.3	16.2	16.7	18.7
SB 10-0018	TUBRAK	WEL 12	2	9.7	5.52	8.53	9.8	10.84	12.23
SB 10-0017	GROHE	28373 000	1	7.8	6.5	7.5	7.8	8.1	8.2
SB 10-0016	GROHE	28421 000	1	7.4	5.3	7.1	7.4	7.8	8.4
SB 10-0015	GROHE	28783 000	1	7.9	6	7.5	8	8.1	8.4
SB 10-0014	GROHE	27239 000	1	7.2	3.8	6.8	7.2	7.5	7.7
SB 10-0013	GROHE	27238 000	1	7.7	4.4	7.2	7.7	8.1	8.7
SB 10-0012	GROHE	27247 000	1	7.8	5	7.6	7.8	8	8.3
SB 10-0011	LABETA	LA-H3010	1	8.8	4.9	8	9.1	9.4	8.8
SB 10-0010	F.Ili Nolli	S/122E	1	7.8	3.7	6.4	8.2	8.9	9.1
SB 10-0009	LABETA	LA-5031	1	8.5	4	6.7	8.7	10.1	13.7

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 10-0008	LABETA	LA-3070	1	5.0	3.5	4.7	5.1	5.1	5
SB 10-0007	GROHE	28871 000	1	7.5	5.4	7.3	7.5	7.6	7.7
SB 10-0005	AQUAmate	SH0116612	1	7.4	3.53	6.63	7.6	8.1	8.33
SB 10-0004	AQUAmate	SH0107912	1	7.7	4.33	6.98	7.8	8.18	8.53
SB 10-0003	AQUAmate	SH0107911	1	7.7	4.33	6.98	7.8	8.18	8.53
SB 10-0002	TUBRAK	WEL 11	1	7.7	4.9	7.26	8.09	7.79	8.11
SB 10-0001	TUBRAK	WEL 02	1	7.3	4.59	6.82	7.53	7.61	7.95
SB 09-0012	Petra	456	1	6.7	3.9	5.6	7	7.5	7.8
SB 09-0011	Petra	452	1	7.5	4.1	6.07	7.7	8.8	10.2
SB 09-0010	Petra	451	1	6.9	3.1	5.5	7	8.1	9.6
SB 09-0009	Petra	450	1	6.6	3.5	5.4	6.7	7.8	9.2
SB 09-0008	Petra	434	1	6.6	3.5	5.2	6.8	7.8	9.2

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa

**Voluntary Water Efficiency Labelling Scheme on Showers For Bathing (Flow Rate against Pressure)  
Register (as at 25.6.2013)**

Registration Number	Brand	Model	(Water Efficiency Grade) Grade 1/2/3/4	Nominal flow* (water Consumption)	Flow Rate (litre/mintue)				
					50 kPa	150 kPa	250 kPa	350 kPa	500 kPa
SB 09-0007	Petra	433	1	5.6	3.1	4.4	5.7	6.8	8.1
SB 09-0006	AZURE	SSH00510- CH, SS, WH, RD, GN and CB	1	6.9	3.11	5.47	7.02	8.07	8.69
SB 09-0005	AZURE	SSH00410- CH and SS	1	8.1	3.97	6.72	8.74	8.8	9.16
SB 09-0004	AZURE	SSH00130-CH, SS and WH	1	6.5	2.66	5.13	6.54	7.8	7.98
SB 09-0003	Bellini	BL-88/18	1	7.8	4.7	7.1	8	8.2	9.1
SB 09-0002	American Standard	WF-9005.000.50	2	9.8	5.5	8.06	10	11.4	12
SB 09-0001	TUBRAK	WEL 01	2	9.6	4.87	8.22	10.13	10.48	10.02

Note: \* Nominal flow rate = average of flow rates at 150, 250 and 350 kPa