



Cad Ref. : WSD021701-D.dwg



**PLAN**  
**GENERAL ARRANGEMENT**  
(CAPACITY = 250 LITRES)




D	GENERAL REVISION	S.K. YEUNG	2/1/15
C	RE-FORMATTED TO CSWP	W.K. CHIU	18/7/03
B	GENERAL REVISION	W.K. CHIU	6/12/01
A	GENERAL REVISION	K.W. CHAN	12/10/98
REF.	REVISION	APPROVED	DATE

FLUSHING WATER TANK




**水務署**  
**Water Supplies Department**

APPROVED	G.C. LEE AD/NW	DRAWING NO.	CSWP
DATE	9/6/92	WSD 2.17D	
SCALE	1 : 10	(SHEET 1 OF 7)	



SECTIONAL PLAN



FLUSHING WATER TANK



水務署  
Water Supplies Department

APPROVED

G.C. LEE  
AD/NW

DATE

9/6/92


SCALE

1 : 10


DRAWING NO.

WSD 2.17D  
(SHEET 2 OF 7)

CSWP



SECTION A - A



Cad Ref. : WSD021703-D.dwg

FLUSHING WATER TANK



水務署  
Water Supplies Department

APPROVED

G.C. LEE  
AD/NW

DATE

9/6/92


SCALE

1 : 10


DRAWING NO.

WSD 2.17D  
(SHEET 3 OF 7)

CSWP



SECTION B - B



FLUSHING WATER TANK



水務署  
Water Supplies Department

APPROVED

G.C. LEE  
AD/NW

DATE

9/6/92

SCALE

1 : 10


DRAWING NO.

WSD 2.17D


(SHEET 4 OF 7)

CSWP

Cad Ref. : WSD021705-D.dwg




SECTIONAL PLAN



PLAN

R.C. DETAILS



FLUSHING WATER TANK



水務署  
Water Supplies Department

APPROVED

G.C. LEE  
AD/NW

DATE

9/6/92


SCALE

1 : 20


DRAWING NO.

WSD 2.17D  
(SHEET 5 OF 7)

CSWP



SECTION C - C



FLUSHING WATER TANK



水務署  
Water Supplies Department

APPROVED

G.C. LEE  
AD/NW

DATE

9/6/92


SCALE

1 : 10

DRAWING NO.

WSD 2.17D  
(SHEET 6 OF 7)


CSWP



### SECTION D - D

#### NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. GRADE OF CONCRETE SHALL BE 35/20D.
3. NOMINAL COVER TO REINFORCEMENT SHALL BE 40mm UNLESS OTHERWISE SPECIFIED.
4. FOR DESCRIPTION OF REINFORCEMENT REFER TO DRAWING NO. WSD 7.1.
5. ALL PLUMBING WORKS SHALL BE CARRIED OUT BY A LICENSED PLUMBER.
6. ALL FITTINGS AND PIPEWORKS SHALL COMPLY WITH RELEVANT WATERWORKS REGULATIONS.
7. THE OVERFLOW PIPE SHALL BE DISCHARGED IN CONSPICUOUS POSITION.



Cad Ref. : WSD021707-D.dwg

FLUSHING WATER TANK



水務署  
Water Supplies Department

APPROVED

G.C. LEE  
AD/NW

DATE

9/6/92

SCALE

1 : 10

DRAWING NO.

WSD 2.17D  
(SHEET 7 OF 7)

CSWP