


ROOFING AND ROOF EXTRACTOR OPENING





TYPICAL FINISHING DETAILS FOR ROOF

B	RE-FORMATTED TO CSWP	W.K. CHIU	18/7/03
A	GENERAL REVISION	W.K. CHIU	10/10/00
REF.	REVISION	APPROVED	DATE





水務署
Water Supplies Department

APPROVED	G.C. LEE AD/NW	DRAWING NO.	CSWP
DATE	9/6/92	WSD 2.1B	
SCALE	N.T.S.	(SHEET 1 OF 3)	



DETAILS OF SKIRTING AND INSTALLATION ON OPENING FOR ROOF EXTRACTOR UNIT

ROOFING AND ROOF EXTRACTOR OPENING		 水務署 Water Supplies Department	
		APPROVED	G.C. LEE AD/NW
		DATE	9/6/92
		SCALE	1 : 10
		DRAWING NO.	WSD 2.1B (SHEET 2 OF 3)
		CSWP	




DETAILS OF TEMPORARY M.S. COVER FOR FUTURE
INSTALLATION OF ROOF EXTRACTOR UNIT

MODEL NO.	DIMENSIONS (mm)		
	A	B	C
DSM 760	1000	125	60
DSM 630	800	100	50
DSM 500	700	100	50
DSM 400	500	100	50

NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. THE SQUARE FRAMEWORK AND M.S. COVER SHALL BE HOT-DIP GALVANIZED.



Cad Ref. : WSD020103-B.dwg

ROOFING AND ROOF EXTRACTOR
OPENING



水務署
Water Supplies Department

APPROVED

G.C. LEE
AD/NW

DATE

9/6/92

SCALE

1 : 10

DRAWING NO.

WSD 2.1B

(SHEET 3 OF 3)

CSWP