


WIDENING ON BENDS

INNER RADIUS R (m)	X (m)
$10 \leq R \leq 15$	1.5
$15 < R \leq 25$	1.2
$25 < R \leq 40$	0.6
$40 < R \leq 50$	0.25
$50 < R \leq 60$	0.25
NORMAL MIN. RADIUS	20.0
ABSOLUTE MIN. RADIUS	10.0
TRANSITION CURVE	NOT REQUIRED



B	RE-FORMATTED TO CSWP	W.K. CHIU	14/11/03
A	GENERAL REVISION	W.K. CHIU	26/6/00
REF.	REVISION	APPROVED	DATE


Cad Ref. : WSD050201-B.dwg

ACCESS ROAD –
GENERAL DESIGN CRITERIA




水務署
Water Supplies Department

APPROVED	G.C. LEE AD/NW	DRAWING NO.	CSWP
DATE	9/6/92	WSD 5.2B (SHEET 1 OF 2)	
SCALE	1 : 250		



JUNCTION DETAIL



DETAILS OF PASSING BAY



Cad Ref. : WSD050202-B.dwg

ACCESS ROAD –
GENERAL DESIGN CRITERIA



水務署
Water Supplies Department

APPROVED	G.C. LEE AD/NW	DRAWING NO. WSD 5.2B (SHEET 2 OF 2)	CSWP
DATE	9/6/92		
SCALE	1 : 250		