


NOTES :

- THIS DRAWING IS BASED ON CIVIL ENGINEERING DEPARTMENT STANDARD DRAWING NO. C2411D.
- ALL DIMENSIONS ARE IN MILLIMETRES.
- ALL CONCRETE GRADE SHALL BE 20/20S.
- CONCRETE SURFACE FINISH SHALL BE CLASS U2 OR F2 AS APPROPRIATE.
- EXPANSION JOINT SHALL BE PROVIDED AT A MAXIMUM SPACING OF 10 METRES. FOR DETAILS REFER TO DRG. NO. WSD 7.21.
- $20 \leq X \leq 50$ UNLESS OTHERWISE SPECIFIED.
- CONCRETE SHALL BE COLOURED AS SPECIFIED IN THE CONTRACT.



C	ADDITION OF MASONRY FACING AND RE-FORMATTED TO CSWP	W.K. CHIU	14/11/03
B	GENERAL REVISION	W.K. CHIU	10/10/00
A	MINOR AMENDMENTS	K.W. CHAN	23/11/93
REF.	REVISION	APPROVED	DATE

STEPPED CHANNEL



水務署
Water Supplies Department

APPROVED	G.C. LEE AD/NW	DRAWING NO. WSD 7.20C	CSWP
DATE	9/6/92		
SCALE	1 : 20		