


NOTES :

1. ALL DIMENSIONS ARE IN MILLIMETRES.
2. SIGNBOARD SHALL BE MADE OF 3mm THICK ALUMINIUM PLATE CONFORMING TO BS EN 485-1. THE SIGN FACE OF THE BOARD SHALL BE FINISHED WITH RETROREFLECTION MATERIALS OF CHROMATICITY CLASS CR1 AND COEFFICIENT OF RETROREFLECTION CLASS RA2 IN ACCORDANCE WITH BS EN 12899-1.
3. SIGNBOARD SHALL BE SECURELY MOUNTED ON A STABLE SUPPORT (eg. GATE OR FENCE). THE CENTRE OF THE BOARD SHALL BE AT A HEIGHT 1.75m FROM GROUND.
4. FOR DETAILS OF WATER SUPPLIES DEPARTMENT LOGO, REFER TO DRAWING NO. WSD 7.17.
5. THE CODES OF THE PAINT COLOURS SHALL BE IN ACCORDANCE WITH BS 5252 AS FOLLOWS:
 

(A) LOGO IN ULTRA MARINE BLUE	- COLOUR CODE 20 E 53
(B) ALL LETTERING AND BORDER IN BLACK	- COLOUR CODE 00 E 53
(C) RED	- COLOUR CODE 04 E 56
(D) BACKGROUND IN WHITE	- COLOUR CODE 00 E 55
6. THE WSD LOGO, ALL LETTERINGS AND CHINESE CHARACTERS SHALL BE INCISED 1mm DEEP. FOR DETAILS, REFER TO DRAWING NO. WSD 7.17.
7. TO BE REPLACED BY THE APPROPRIATE 24-HR ENQUIRY TELEPHONE NUMBER / A TELEPHONE NUMBER THAT CAN FACILITATE PROMPT ACTION.
8. ALL CHARACTERS SHOWN ON THIS SIGNBOARD SHALL BE IN PRINTED FORM AND SHALL BE CLEAR AND LEGIBLE. FREE-HAND WRITING IS NOT PERMITTED.



B	GENERAL REVISION	W.Y. WAN	15/6/23
A	GENERAL REVISION	C.Y. CHAN	19/5/22
REF.	REVISION	APPROVED	DATE

COMBINED SIGNAGE FOR RESERVOIR AND WATER GATHERING GROUND



APPROVED	O.L. PANG AD/NW	DRAWING NO. WSD 7.66B	CSWP
DATE	1/4/21		
SCALE	1 : 10		

Cad Ref. : WSD076601-B.dwg