

Pipes and fittings to be reported in Annex to Form WWO 46

Currently Effective

- ✓ All pipes (in compliance with Part 1 of Schedule 2 in Waterworks Regulations)
- ✓ Fittings including (i) draw-off taps, (ii) stop valves, (iii) gate valves, (iv) ball valves and (v) combination fittings
- ✓ Water Heater (instantaneous type)
- ✓ Lead-free grade soldering materials
- ✓ Brazing materials
- ✓ Soldering flux
- ✓ Fiberglass storage cistern (for potable water)
- ✓ Copper pipe fittings (tee, bend, reducer, coupler and end cap only)
- ✓ Ductile iron pipe fittings (tee, bend and reducer only)
- ✓ PVC-U, PVC-C, PB, PE and PE-X pipe fittings (tee, bend and reducer only)
- ✓ Valves including Pressure Reducing Valve, Butterfly valves, non-return valves/ check valves, strainer
- ✓ Expansion joint/settlement joint/flexible joint/rubber joint
- ✓ Stainless steel pipe fittings (grooved type and press type for tee, bend, reducer and coupler only) in compliance with prescribed specification AS 3688:2016
- ✓ Prescribed water efficiency gradings for showers for bathing, water taps, urinal flushing valves and “combined” water saving devices (please refer to the WSD Circular Letter No. 2/2017)

From 1 Sept 2018

Additional items:

- ✓ Stainless steel pipe fittings (compression type for tee, bend, reducer and coupler only) in compliance with prescribed specification AS 3688:2016 in Part 1 of Schedule 2 in Waterworks Regulations - effected by Waterworks (Amendment) Regulation 2017 (L.N.81 of 2017)

From 1 Oct 2018

Additional items:

- ✓ Flow controller installed inside water tap (Water Efficiency Labelling Scheme)

Note:

- (1) Water Authority will update and expand the list when necessary.